



Date: 13-14 SEPTEMBER Driver: BALESTRI DARIO
 Event: WORLD CHAMPION Car: G4 S
 Track: BRISBANE Weight: _____

SETUP SHEET




TRACK CONDITIONS

Surface: Smooth Med. Bumpy
 Size: Open Med. Tight
 Traction: High Med. Low

Track Temp/Air Temp: ° 20°
 Note: WE USED LONG STEP FOR VERY HIGH TRACTION

FRONT SUSPENSION



Front Width: 198 mm

Anti-Roll Bar: 90°

Diff. Fluid: 50.000 wt
 One Way
 Solid Axle

Toe Angle: +1°

Front Camber: L ° R °

Front Ride Height: 5 mm

Front Droop: 4 mm

Caster: 3 mm

► SHOCK

Shock Length: _____ mm

Thread Length: _____ mm

Oil: 450 wt

Piston: 2 HOLE

Spring: GRAY MUGEN mm


► TIRE

Front Tire: KYOSHO


Shore: L 42° R 40°

Diameter(Start): L/R 63/64 mm


Diameter(Finish): L/R / _____ mm



Tower Mounting



Arm Mounting



Steering


Caster



Thread Length

Shock Length

REAR SUSPENSION



Rear Width: 199 mm

Anti-Roll Bar: MUGEN 2, 3 mm

Diff. Fluid: 40.000 wt
 Solid Axle

Toe Angle: 3,5°

Rear Camber: L 3° R 3°

Rear Ride Height: 7 mm

Rear Droop: 3 mm

► SHOCK

Shock Length: _____ mm

Thread Length: _____ mm

Oil: 600 wt

Piston: 2 HOLE

Spring: PURPLE MUGEN mm

► TIRE

Front Tire: KYOSHO


Shore: L 42° R 40°

Diameter(Start): L/R 65/64 mm

Diameter(Finish): L/R / _____ mm



Tower Mounting



Camber Link

Rear Droop

Arm Mounting

Pulley




Front Side Pulley: 27 T

Rear Side Pulley: 19 T

Brake Pulley: 31 T

Rear Side Pulley

CLUTCH



Gear Ratio: 1st 16 T 51 T

2nd 21 T 45 T

Clutch Set Type:

3 Shoe Push Type

Clutch Spring: 1,8 mm

Clutch weight: 3

Clutch Shoe: BLACK

Engine: NOVAROSI

Plug: NOVAROSI

Fuel: NOVAROSI

Manifold: _____

Pipe: NOVAROSI

Pipe Length: _____ mm

Note: _____

Body



Body: STRATUS 3.1

Radio: SANWA

ST. Servo: SANWA WRX

TH. Servo: SANWA WRX

COMMENTS

Race Time / Lap: _____

Best Lap Time: _____

Position: _____

Notes: _____